

无障碍系列

disabled grab bar series



通道扶手系列
Corridor grab bar series



淋浴椅系列
Bath chair series



上翻扶手系列
Folding up grab bar series



卫浴扶手系列
Bathroom grab bar series



坐便器扶手系列
Toilet grab bar series



小便斗扶手系列
Urinal grab bar series



洗手盆扶手系列
Washbasins grab bar series




一字型扶手系列
One word handrail series



组合扶手系列
Combination handrail series

医疗辅材系列


medical auxiliary series



输液吊杆系列
Infusion derrick series



轨道系列
Orbit series



医用隔帘系列
Medical partition curtain series

地材系列

flooring series



盲道系列
Blind road series



色卡
Color swatches

01th

防撞系列

ANTI-COLLISION SERIES

特点：

金属结构强度佳，乙烯树脂温馨不冰冷。
保护墙面免受撞击，为行人提供方便。
56种颜色可选，搭配出完美色彩空间。
适用范围：一般走廊、楼梯间栏杆等。

Features:

High strength with metal structure,
feel warm with vinyl.
Wall protection from the impact, for
the convenience of pedestrians.
56 colors to choose, making perfect
colors space.
Scope: general corridor, stairs etc.



▶ 防撞扶手 HS-618

DASH-PROOF HAND-GUARDS HS - 618



PERFORMANCE

外形时尚，色彩多样。
结构设计更加人性化。
握持位置及结构最大限度符合手掌握持习惯。
Stylish outlook, various colors.
More humane design.
Comfortable holding.

▶ 防撞扶手 HS-618

ANTI-COLLISION HAND-GUARDS HS - 618



阻燃/抗菌/防撞/色彩多样

FLAME RETARDANT, ANTI-BACTERIAL, ANTI-COLLISION, COLORFUL





苹果绿
Apple green



邮电绿
Post and green



粉红色
Pink



618B



618D

防撞扶手HS-618A/B/C/D

型号 Model	材质 Material	铝材厚度 (mm) Aluminum Thickness	规格 Size	颜色 Color
618 (A/B/C/D)	PVC面板+普通铝材 (电泳铝材可定制) PVC panel + ordinary aluminum (Electrophoresis Aluminium can be customized)	1.2/1.4/1.6/1.8	4000*140	多种 multiple color

▶ 防撞扶手 HS-618木纹系列

ANTI-COLLISION HANDRAIL HS-618 WOODEN COLOR SERIES



/ 阻燃 / 抗菌 / 防撞 / 色彩多样 /

Flame retardant, anti-bacterial, anti-crash, multiple color

极致展现实木质感
古风典雅，装饰首选
Show the real wood texture
Antique and elegant, decoration first choice


精致木纹 高端时尚

FINE GRAINED HIGH-END FASHION



精雕细琢 还原木之本色

Finely crafted
but also the essence of wood



► 防撞扶手 HS-616F

ANTI-COLLISION HANDRAIL HS-616F

西欧主流款式
工艺复杂
造型雅致

complex western
mainstream style
Process elegant shape



握持面板
Grip panel



整体弯头
The whole elbow



弯头
Elbow



支架
Bracket



泰国柚木
Thailand Teak



沙比利
Sapele




红胡桃
Red walnut

以上颜色仅供参考，具体颜色请以实物为准。
The above color is for reference only, specific color please in kind prevail.

▶ 防撞扶手 HS-616F

DASH-PROOF HAND-GUARDS HS - 616F



特点:

- A: 内部金属结构强度佳, 外表乙烯树脂材质, 温馨不冰冷。
- B: 外表分体成型。
- C: 上缘管式造型, 符合人体工学, 易于握持行进。
- D: 下缘圆弧造型, 可吸收撞击力度, 保护墙面。

Features:

- A: High strength with metal structure, feel warm with vinyl.
- B: Appearance is separated, with both inside and outside corners.
- C: Upper edge is pipe shape, easy for holding and walking.
- D: Lower edge is arch shape, absorb impact force, protect wall surface.

防撞扶手HS-616F

型号 Model	材质 Material	铝材厚度 (mm) Aluminum Thickness	规格 Size	颜色 Color
616F	PVC面板+普通铝材 PVC panel + ordinary aluminum	1.4/1.6	4000*143	多种 multiple color



▶ 防撞扶手 HS-616F木纹

DASH-PROOF HAND-GUARDS HS - 616F



技艺巅峰
两种工艺
造就一种视觉冲击

Peak art
Two kinds of process
Make a visual impact

▶ 防撞扶手 HS-616B

ANTI-COLLISION HANDRAIL HS-616B



厚重典雅
实木纹理与新型材
料的完美结合

Combination of thick and
elegant solid wood texture
with new materials



616B-1款



616B-2款



616B-3款



特点:


- A: 内部金属结构强度佳, 外表乙烯树脂材质, 温馨不冰冷。
- B: 外表一体成型, 具内外转角。
- C: 上缘管式造型, 符合人体工学, 易于握持行进。
- D: 下缘圆弧造型, 可吸收撞击力度, 保护墙面。


Features:

- A: High strength with metal structure, feel warm with vinyl.
- B: Appearance is integrated, with both inside and outside corners.
- C: Upper edge is pipe shape, easy for holding and walking.
- D: Lower edge is arch shape, absorb impact force, protect wall surface.

防撞扶手HS-616B

型号 Model	材质 Material	铝材厚度 (mm) Aluminum Thickness	规格 Size	颜色 Color
HS-616-1 HS-616-2 HS-616-3 C款、B款 (含防撞止震条)	PVC面板+普通铝材 PVC panel + ordinary aluminum	1.4/1.5/1.8	4000*159	多种 multiple color





▶ **防撞扶手 HS-609**
ANTI-COLLISION HANDRAIL HS-609

水滴流体雕塑
造型别致
握感一流

Water droplets fluid sculpture
special design



特点:


时尚的水滴设计, 集攀扶、装饰、时尚于一体, 特别适合于现代感较强的场所, 让您感到无微不至的细心呵护。

Features:

With the fashion design of water drop, the handrails are for its integrating climbing up, decoration and vogue into a single unit. Widely used in fashion places, let you feel warmth and comfort.

防撞扶手HS-609

型号 Model	材质 Material	铝材厚度 (mm) Aluminum Thickness	规格 Size	颜色 Color
HS-609	PVC面板+普通铝材 PVC panel + ordinary aluminum	1.2/1.6	4000*90	多种 multiple color



▶ 防撞扶手 HS-638

ANTI-COLLISION HANDRAIL HS-638




田园木色
轻奢典雅

Rural wood color
Light of luxury and elegant


38黄金比例
握持感更强
老幼皆宜

38 the golden ratio
Grip feels strong
old and young all appropriate



防撞扶手HS-638

型号 Model	材质 Material	铝材厚度 (mm) Aluminum Thickness	规格 Size	颜色 Color
HS-638A	PVC面板+普通O型铝材 PVC panel + common type O aluminum	1.6	4000*38	多种 multiple color
HS-638C	PVC面板+普通C型铝材 PVC panel + common type O aluminum	1.6	4000*38	多种 multiple color



▶ 新型扶手 HS-628F

DASH-PROOF HAND-GUARDS HS - 628F




顶级工艺
存在只为荣耀

Top technology
for glory



新型扶手HS-628F

型号 Model	材质 Material	铝材厚度 (mm) Aluminum Thickness	规格 Size	颜色 Color
HS-628F	PVC面板+普通铝材 +连体不锈钢支架 PVC panel + ordinary aluminum + conjoined stainless steel stents	1.6	5000*200	多种 multiple color
HS-628F-1	PVC面板+普通铝材 /不锈钢连杆+尼龙支架 PVC panel + normal aluminium /stainless steel connecting rod + nylon bracket	1.6	5000*200	多种 multiple color



案例图展示 PROJECTS PHOTOS

广泛应用于办公楼、医院、学校、幼儿园、敬老院等场合，保护墙面，防撞、抗击、抗冲。

It's widely used in office buildings, hospitals, schools, kindergartens, nursing homes..., protecting the wall from impact.

▶ 护墙板 HS-615

CLAPBOARD HS - 615

特点:



乙烯树脂外壳耐刮损抗菌, 内芯优质铝合金专业设计及防撞, 良好的防火性能, 凹凸纹表面防紫外光及日光照射耐腐蚀, 容易清洁, 可提供最大防护, 避免墙壁受损。

Features:


Vinyl cover with wear resistance and anti-bacterial ability, aluminum retainer for strong impact-resistance ability, high flame retardant performance, high anti-corrosion resistance, easy for cleaning, offering the best protection to wall.



HS-615A



HS-615B




护墙板系列


WALL GUARD SERIES




HS-610A




HS-620B




HS-610C




HS-6125B



HS-612B



HS-605H



护墙角系列

CORNER GUARD SERIES



型号 style	边宽 width	横截面图 cross section	弯角角度 corner angle	最大长度 dimensions	用途 application
HS-603A	30mm		90°	3m/支 3m/piece	保护墙角、门框 To protect the corner, door frames
HS-605A	50mm		90°	3m/支 3m/piece	保护墙角、门框 To protect the corner, door frames
HS-607A	70mm		90°	3m/支 3m/piece	保护墙角、门框 To protect the corner, door frames



► 时尚软护角

FASHION SOFT CORNER PROTECTOR

有完整色系可供选择，环保无毒配方，胶水施工。

材质：软质乙烯树脂双色共挤，适用于学校、幼儿园、宾馆、商场、家庭等场所，有效保护墙角、儿童。

Complete color scheme, double-color coextrusion; soft Vinyl resin material materials, environment friendly and installing with the glue. Suitable for schools, kindergartens, hotels, supermarkets, gymnasiums and homes, protecting the corner efficiently, and also preventing the children from hitting.

型号 style	边宽 width	横截面图 cross section	弯角角度 corner angle	最大长度 dimensions	用途 application
HS-635A	35mm		90°	3m/支 3m/piece	保护墙角、门框 To protect the corner, door frames
HS-640A	40mm		90°	3m/支 3m/piece	保护墙角、门框 To protect the corner, door frames
HS-650A	70mm		90°	3m/支 3m/piece	保护墙角、门框 To protect the corner, door frames



02th

无障碍扶手系列

BATHROOM GRAB BAR SERIES

特点：

无障碍扶手系列

独特的抗菌技术，提高卫生环境。

浮点防滑设计，抓握更安全舒适。

自熄材料熔点高，不助燃。

抗静电不吸尘，易于清洗，耐磨，耐水，耐酸碱等。

安装简便，组合灵活，适合不同的安装条件。

Features:

Anti-bacterial, environment friendly.

Salient points design makes it anti-skidding, more secure and comfortable for gripping.

Self-extinguishing material, high melting point, no combustion supporting.

Advantages: anti-static, dust proof, easy cleaning, wear resisting, water proof, resistance to acid and base etc.

Simple installation, flexible combination, suitable for different installation conditions.



适用于：医院、养老院及高档写字楼，家里老人卫生间等场所。
Suitable for: hospitals, nursing homes and high-grade office buildings, home and old toilet etc.

▶ 通道扶手系列

CORRIDOR GRAB BAR SERIES



通道扶手 HS-037A
Corridor Grab Bar HS-037A



通道扶手 HS-038A
Corridor Grab Bar HS-038A



小贴士：
铝管内衬更适用于走廊扶手的安装

内管材质	铝管	镀锌钢管	201不锈钢管	304不锈钢管
规格(mm)	外壁1.4 内壁1.7	1.6	1.2/1.5	1.2/1.5/2.0
整体外径(mm)	35	35	35	35
金属外径(mm)	25	25	25	25



外形时尚，色彩多样，结构设计更加人性化，握持位置及结构最大限度符合手掌握持习惯。

Stylish outlook, various, more humanized structure design, the holding place and structure is designed to be used to the hand by maximum limit.

新颖美观，无化学挥发物，符合环境标准，表面光洁度高，色彩饱和度高，具有抗老化及耐腐蚀性、抗菌性强，使用寿命长等特点。

Novel and attractive, no chemical volatiles, accord with environmental standards, high surface finish, high color saturation, anti-aging and corrosion resistance, strong antimicrobial properties, long service life, etc.



▶ 淋浴椅系列

BATH CHAIR SERIES



PERFORMANCE

安全舒适，易折叠，不占空间
 质地光洁细腻，易清洗
 安全承重130kg~200kg
 安装方便

Safe and comfortable, easy to fold, does not occupy space
 Smooth and delicate texture, easy to clean
 Safety load 130kg ~ 200kg
 Easy installation

适用于：浴室淋浴、更衣室、过道换鞋、小憩
 Applied to: bathroom, dressing room, corridors, lounge


▶ 淋浴椅系列

SHOWER CHAIR SERIES




★★★★

HS-01B



★★★★★

HS-03B




HS-01C




★★★★★

HS-03C




★★★★★

HS-04B



★★★★★

HS-04A



▶ 上翻扶手系列

FOLDING UP GRAB BAR SERIES



PERFORMANCE


轻松收纳、节省空间
倾心设计的优良结构
安装方便
为您的家人保驾护航

Easy storage, saves space
Excellent structure designed
Easy installation
Escort for your family

适用于：卫生间、浴室淋浴、更衣室、小憩
Applied to: bathroom, dressing room, corridors, lounge




HS-018A



材料：尼龙和金属管复合
配置：普通连接件
颜色：白色、黄色
Material: Nylon and metal composite
Configuration: ordinary fittings
Colour: white, yellow




HS-018木纹



材料：尼龙和金属管复合
配置：普通连接件
颜色：木纹色
Material: Nylon and metal composite
Configuration: ordinary fittings
Colour: Wood grain color




HS-018B



材料：尼龙和金属管复合
配置：普通连接件
颜色：白色、黄色
Material: Nylon and metal composite
Configuration: ordinary fittings
Colour: white, yellow




HS-018B-2



材料：尼龙和金属管复合
配置：普通连接件
颜色：白色、黄色
Material: Nylon and metal composite
Configuration: ordinary fittings
Colour: white, yellow




HS-018C



材料: 尼龙和金属管复合
配置: 不锈钢工字连接件
颜色: 白色、黄色
Material: Nylon and metal composite
Configuration: stainless steel flanged fittings
Colour: white, yellow




HS-018C-1



材料: 尼龙和金属管复合
配置: 不锈钢工字连接件
颜色: 白色、黄色
Material: Nylon and metal composite
Configuration: stainless steel flanged fittings
Colour: white, yellow



HS-018D-1



材料: 尼龙和金属管复合
配置: 不锈钢工字连接件
颜色: 白色、黄色
Material: Nylon and metal composite
Configuration: stainless steel flanged fittings
Colour: white, yellow

▶ 上翻扶手 FOLDING UP GRAB BAR



PERFORMANCE

一次扶手的变革
纯304不锈钢材质
打造非同凡响的极致体验

A reform of grab bar
Pure 304 stainless steel material
Create extraordinary extreme experience

▶ 卫浴扶手系列

BATHROOM GRAB BAR SERIES



PERFORMANCE

方便舒适，不占空间
管径完美，适合抓握
双层管承重，安全可靠


Convenient and comfortable, does not occupy space
Diameter perfect for gripping
Double tube bearing, safe and reliable

适用于：浴室淋浴、更衣室、小憩
Applies to: bathroom, dressing room, corridors, lounge

HS-025A—L型扶手
HS-025A—L type Grab Bar



026A-1—135°多功能扶手



材料：尼龙和金属管复合
配置：普通连接件
颜色：白色、黄色
Material: Nylon and metal composite
Configuration: ordinary fittings
Colour: white, yellow

▶ 坐便器扶手系列

TOILET GRAB BAR SERIES



PERFORMANCE


环保抗老化、耐磨耐火
优选材质，安全放心
为您和您的家人提供安全保障

Anti-aging, wear-resistant, fire resistant
High quality material, safe and secure
Provide security for you and your family

适用于：浴室淋浴、更衣室、小憩
Applied to: bathroom, dressing room, corridors, lounge




HS-028A



材料：尼龙和金属管复合
配置：普通连接件
颜色：白色、黄色
Material: Nylon and metal composite
Configuration: ordinary fittings
Colour: white, yellow




HS-030A



材料：尼龙和金属管复合
配置：普通连接件
颜色：白色、黄色
Material: Nylon and metal composite
Configuration: ordinary fittings
Colour: white, yellow



HS-030A-1



材料：尼龙和金属管复合
配置：普通连接件
颜色：白色、黄色
Material: Nylon and metal composite
Configuration: ordinary fittings
Colour: white, yellow

▶ 小便斗扶手系列

URINAL GRAB BAR SERIES

PERFORMANCE


安全舒适，不占空间
材质光洁细腻，易清洗
安装方便

Safe and comfortable, does not occupy space
Surface is smooth and delicate, easy to clean
Easy installation

适用于：卫生间
Applied to: bathroom, toilet



HS-002A




材料：尼龙和金属管复合
配置：普通连接件
颜色：白色、黄色

Material: Nylon and metal composite
Configuration: ordinary fittings
Colour: white, yellow



HS-030A-2




材料：尼龙和金属管复合
配置：普通连接件
颜色：白色、黄色

Material: Nylon and metal compo
Configuration: ordinary fittings
Colour: white, yellow





HS-003B




材料: 尼龙和金属管复合
配置: 普通连接件
颜色: 白色、黄色

Material: Nylon and metal composite
Configuration: ordinary fittings
Colour: white, yellow



HS-004C-1



材料: 尼龙和金属管复合
配置: 普通连接件
颜色: 白色、黄色

Material: Nylon and metal composite
Configuration: ordinary fittings
Colour: white, yellow

▶ 洗手盆扶手系列

WASHBASINS GRAB BAR SERIES



PERFORMANCE


安全舒适, 不占空间
材质光洁细腻, 易清洗

Safe and comfortable, does not occupy space
Surface is smooth and delicate, easy to clean

适用于: 洗手盆、浴室淋浴、更衣室
Suitable for: the sink, bathroom shower, locker room




HS-005A-1



材料: 尼龙和金属管复合
配置: 普通连接件
颜色: 白色、黄色
Material: Nylon and metal composite
Configuration: ordinary fittings
Colour: white, yellow




HS-003A



材料: 尼龙和金属管复合
配置: 普通连接件
颜色: 白色、黄色
Material: Nylon and metal composite
Configuration: ordinary fittings
Colour: white, yellow



HS-004C



材料: 尼龙和金属管复合
配置: 不锈钢工字连接件
颜色: 白色、黄色
Material: Nylon and metal composite
Configuration: Stainless steel flanged fittings
Colour: white, yellow

► 一字型扶手系列

ONE WORD HANDRAIL SERIES



PERFORMANCE

“一”字型扶手

提供300mm-800mm多种长度选择, 并可与其他无障碍扶手搭配, 组成一套完整的卫生间安全系统。

手握部分材质为PA/ABS, 内衬部分为不锈钢; 扶手表面特级防滑, 手感更加舒适, 适于扶持。

适用于: 浴室淋浴、更衣室、过道换鞋、小憩
Suitable for: the bathroom shower, dressing room, corridor in shoes, nap

Line shape Grab Bar

Supply 300mm-800mm multiple length options, and can match with other accessible grab bar, to form a complete set of bathroom safety systems.

The material of hand part is PA / ABS, interior with stainless steel; armrest surface super non-slip feel more comfortable, suitable for holding.



★★★★★



不锈钢品系列
Electroplating products series



经典纯色系列
The classic series of pure color



★★★★★

古风木纹系列
Antique wood grain series

▶ 组合扶手系列

COMBINATION HANDRAIL SERIES



PERFORMANCE

安全舒适, 不占空间
置地光洁细腻, 易清洗
安全承重130kg
安装方便

Safe and comfortable, does not occupy a space
Land smooth delicate, easy to clean
Safe bearing 130 kg
Easy installation



HS-030A
HS-005A-1
HS-005A



HS-026木纹 HS-002木纹



HS-025A HS-005A-1



HS-030B
HS-004C-1
HS-003A

03th

医疗辅材系列 MEDICAL AUXILIARY SERIES

特点：

伸缩型输液吊杆帮助病人及护士们轻易的调节高度。

配合铝合金各种类型的轨道及滑车使用，吊杆能更顺畅地沿轨道移动。

医用隔帘安全、耐用、美观。

Features:

Adjustable, patients and nurses can adjust the height easily

With aluminum rail and roller, the IV hanger can move more smoothly

Medical curtain is safe, durable, and beautiful.



▶ 输液吊杆系列

INFUSION DERRICK SERIES



国家专利
The national patent



铝合金伸缩吊杆 YL-03
Aluminum Adjustable IV Hanger YL-03




PERFORMANCE

吊杆采用丝扣连接
咬合强度更强
电泳喷砂工艺
抗腐蚀性更强

Derrick with threaded connection
Occlusion strength is stronger
Electrophoresis sand blasting process
Stronger corrosion resistance

※ 不锈钢吊杆长度选取方式：房间净高（已装修完毕）-1.7米。
Does stainless steel boom length selection methods: room clear height
(has been renovated) to 1.7 meters.



优质不锈钢吊杆
做工精细
用料考究

High quality stainless steel boom
Fine workmanship
With makings fastidious

不锈钢伸缩吊杆 YL-02
Stainless Steel Adjustable IV Hanger YL-02

▶ 轨道系列

ORBIT SERIES



PERFORMANCE

独特设计 通风开阳
适用广泛 安全稳固

Unique design Ventilation mizar
Apply widely security firm

欧式豪华轨道YL-45
European-style luxury rail YL - 45



1、**轨道**：采用铝合金材质，独特设计，不易变形；收拉轻巧流畅，安全稳固。轨道之间的结合口有强化ABS专用连接器，使整套轨道浑然一体，极大增加了轨道的刚度。房间净高太大有专用的不锈钢悬空架配合安装。

2、**滑车**：结构紧凑合理，减小拐弯半径，减少隔帘布收缩所占长度；滑动轻巧顺畅；挂钩采用S型，拆装清洗方便；滑轮采用独特加工工艺，应用高科技纳米材料，国内首次真正实现静音、无尘、耐磨。

3、**轨道弯曲弧**：从香港进口专用的轨道弯曲器，全部自动化，弯曲弧度一次加工成型，轨道沟槽不发生变形，保证滑车滑动轻巧顺畅。

4、滑车每米6-9个，轨道每600mm一个固定点。

Rail: with the Al-alloy materials, specialized designed, hard distorted, easy to pull and back, more safe and stable. The connectors between the rails are appropriativeABS connectors, which make the whole rails to be seamless, and increased the inflexibility of the rail.

If the net height of the room is too large, the stainless steel impending frame should be installed.


Pulley: Compact and reasonable structure, decreasing the radius of the round, decreasing the length of the curtain in the contraction; sliding smoothly, S-shaped pothook, easy to dismantle and install; rope blocks are made of nano materials, with the special processing technic, the products are really to be mute, free from dirty and wear resistant.

Bend arc of the rail: use the automating rail bender importing from H.K., the bent forming oncethrough, and the groove of the rail is not out of shape, ensure the pulley slid smoothly.

Pulley: 6-9 per meter, and every 600mm on the rail with a fixed point.



加厚轨道
Increasing orbital






YL-30 输液轨道
YL - 30 transfusion track




输液滑轮
Infusion pulley



YL-20 隔帘轨道
YL - 20 Every curtain rail



小帐车
Roller



医用隔帘系列

MEDICAL PARTITION CURTAIN SERIES

素色系列 Plain coloured series



SJ-素色 01#



SJ-素色 02#



SJ-素色 03#



SJ-素色 04#



SJ-素色 05#



SJ-素色 06#



SJ-素色 07#



SJ-素色 08#



SJ-素色 09#



SJ-素色 10#



SJ-素色 11#




SJ-素色抗阻燃 17#



SJ-新款亮丝 21#



SJ-新款亮丝 22#



SJ-新款亮丝 23#

隔帘案例 Curtain case



卡通、田园系列 Cartoon, rural series




SJ-卡通娃娃印刷 19#



SJ-藤花印花 18#

SJ-羽毛印花 20#

条纹系列 Stripe series



SJ-网格子 12#

SJ-提花格子 13#

SJ-竖条双色 14#


SJ-横条彩丝 15#

SJ-素色 06#

隔帘案例 Curtain case



病床隔帘设计测量方案 Bed curtain design measurement scheme



单人病房 (U型)
Single ward (U)

双人病房 (左L型)
Double ward (L left)

三人病房 (右L型)
Three person ward (L right)

主要特点:

- 安全:** 本产品为永久阻燃隔帘布标准, 产品通过GB86241997、GB/T54551997验证, 符合中国建筑材料燃烧性能分级方法中高等级 6.2.1的B1级规定, 氧指数 $\geq 32\%$ 、平均续燃时间 ≤ 5 秒、平均损毁长度 ≤ 150 mm;
- 耐用:** 径向46.8kgf/5cm; 纬向127 kgf/5cm (CNS12915条式法), 超强的抗拉强度; 20.5kgf/cm (CNS12915条式法), 超强抗破裂能力; 隔帘布洗后缩水率: 径向0; 纬向0 (CNS80838A法), 洗后不变形; 隔帘布耐洗染色牢度: 变褪色45级; 污染4级 (CNS1494A2法), 洗后隔帘布网状不会断裂脱落, 不退色、耐污染;
- 美观:** 医院病房、注射室、检查室实用隔帘布, 使医院室内感觉整齐、美观大方;
- 隐私:** 同病区其他床位如需要更衣、注射、医疗或访客为保护隐私及避免嘈杂, 可将隔帘布拉起;
- 简便:** 专用轨道、施工简易, 专用滑轮与挂钩, 拆装快速、清洁、方便。

Features:

- Safety:** This product is a permanent flame retardant every cord standard, products through GB86241997, GB/T54551997 verify, in line with the flammability of building materials classification method of high-grade 6.2.1 Class B1, oxygen index $\geq 32\%$, with an average performance of burning time ≤ 5 seconds, the average damaged length ≤ 150 mm.
- Durable:** radial 46.8kgf/5cm; zonal 127 kgf/5cm (CNS12915 method), superior tensile strength; 20.5kgf/cm (CNS12915 method), the super anti-rupture capacity; every cord washed shrinkage: radial 0; zonal 0 (CNS80838A France), washed, no deformation; every cord washing color fastness: variable fade 45; pollution 4 (CNS1494A2 method), washed, separated from the cord mesh does not break off, do not fade, stain resistance.
- Beauty:** the hospital ward, injection rooms, examination rooms, utility compartment cord, hospital interior feeling neat and nice, both dust and antibacterial function.
- Privacy:** with other ward bedspace such as dressing, injection, medical, or visitors for the protection of privacy and to avoid noisy, you can pull every cord.
- Simple:** special track, simple construction, special pulleys and hooks, quick disassembly, cleaning, and convenient.

04th

地材系列

FLOOR SERIES

盲道系列

BLIND ROAD SERIES




DC-MDD-01
(螺纹)



DC-MDD-02
(光面)



DC-MDD-03
(塑胶)



DC-MDD-04
(菠萝纹)





特点：
视觉效果美观大方，
环保无异味，
安装方便。


Features:
Nice visual effects,
order-free, environment friendly,
easy to install.




DC-MDB-01条状 strip




DC-MDB-00点状 dot



塑胶盲道条 DC-MDT-01
Plastic blind strips MDT-01







粉红 粉色 啡红 桔红 中国红 深红



荷花白 米白 纯白 深枣红 枣红色 铁红



浅棕 米黄 嫩黄 芽黄色 桔黄色 肉桂色



紫色 青铜色 咖啡色 绛红色 棕色 橙黄色



水曲柳



红胡桃



黄桦木



沙比利



浅灰色 中灰色 深灰 浅丹青 丹青色 石板灰



标兰 天蓝 丹青蓝 兰绿 黑色 铁灰色



浅蓝 深兰 钴蓝 湛兰 草绿 水绿色



苹果绿 绿色 豆绿 浅绿色 深豆绿 浅豆绿



翠绿 深绿 汾兰绿 湛绿 墨绿 邮电绿

※ 画册色卡仅供参考，请以实物色卡为准。
Picture color is for reference only, please refer to product color card.